

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5669	matsuzawa.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:38
L2	501	matsuzawa.inv.	USPAT; USOCR	OR	OFF	2005/01/27 10:35
L3	4302	matsuzawa.inv.	JPO	OR	OFF	2005/01/27 10:35
L4	0	I3 and "402149041"	JPO	OR	OFF	2005/01/27 10:35
L5	0	I3 and "JP402149041"	JPO	OR	OFF	2005/01/27 10:35
L6	0	"JP402149041"	JPO	OR	OFF	2005/01/27 10:35
L7	0	JP402149041	JPO	OR	OFF	2005/01/27 10:36
L8	0	JP402149041.pn.	JPO	OR	OFF	2005/01/27 10:36
L9	0	JPO402149041.pn.	JPO	OR	OFF	2005/01/27 10:36
L10	0	"402149041".pn.	JPO	OR	OFF	2005/01/27 10:36
L11	0	JPO402149041A	JPO	OR	OFF	2005/01/27 10:36
L12	1	JP402149041A	JPO	OR	OFF	2005/01/27 10:36
L13	1	I1 and ((privilege or priorit\$4 or unforc\$3)near5 (transmi\$5 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:40
L14	3	I1 and ((privilege or priorit\$4 or unforc\$3)near5 (transmi\$5 or collision or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:42
L15	187	((privilege or priorit\$4 or unforc\$3)near5 (transmi\$5 or collision or mode))with (ethernet or half\$duplex or duplex or nic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:00
L16	2	I15 and ((restrict\$4 or detect\$4 or determin\$5)near5 (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:50

L17	0	I1 and ((restrict\$4 or detect\$4 or determin\$5)near5 (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:50
L18	1	I1 and ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:03
L19	39	((provid\$4 or enabl\$4 or secur\$4 or allow\$4)near4 (priority or previle\$4 or special))with (ehternet or NIC or duplex or half\$duplex or (peripheral near2 component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 10:54
L20	42	((provid\$4 or enabl\$4 or secur\$4 or allow\$4)near4 (priority or priorit\$4 or previle\$4 or special))with (ehternet or NIC or duplex or half\$duplex or (peripheral near2 component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:02
L21	237	((privilege or priorit\$4 or unforc\$3 or restrict\$4)near5 (transmi\$5 or collision or mode))with (ethernet or half\$duplex or duplex or nic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:13
L22	42	I20 and (((provid\$4 or enabl\$4 or secur\$4 or allow\$4)near4 (priority or priorit\$4 or previle\$4 or special))with (ehternet or NIC or duplex or half\$duplex or (peripheral near2 component)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:14
L23	0	I20 same ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:04
L24	0	I20 and ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:05

L25	6	l21 and ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:53
L26	35	((wait\$4 or halt\$4 or paus\$4 or stop\$4 or restrict\$4 or disabl\$4)near6 (back\$off near2 time))with retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:33
L27	35	l26 same ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:13
L28	19	l27 and ((transmi\$5 or collision or mode)with (ethernet or half\$duplex or duplex or nic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:14
L29	0	l27 and (( (priority or priorit\$4 or previle\$4 or special))with (ehternet or NIC or duplex or half\$duplex or (peripheral near2 component)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 11:15
L30	6	l27 and (( (priority or priorit\$4 or previle\$4 or special))with (ehternet or NIC or duplex or half\$duplex or (peripheral near2 component) or station or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:46
L31	0	((((wait\$4 or halt\$4 or paus\$4 or stop\$4 or restrict\$4 or disabl\$4)near6 (back\$off near2 time))with retransmi\$5)same (less near5 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:35
L32	3	(back\$off near2 time)with (less near5 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:38

L33	4	((back\$off near2 time)or (retransmission near3 delay))with (less near5 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:39
L34	29	((peripheral near2 component)or NIC or (network\$3 near3 (board or card))) and ((provid\$4 or enabl\$4 or privileg\$3 or priorit\$5)near5 half\$duplex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:53
L35	0	I34 and ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:54
L36	312	((peripheral near2 component)or NIC or (network\$3 near3 (board or card))) and (collision near3 (avoid\$4 or restrict\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 12:54
L37	31	I36 and ( (back\$off near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 13:15
L38	3	I36 and ( (back\$off near2 time)with (less or small\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 13:17
L39	12	I36 and ( (back\$off near2 time)with ((less or small\$3)or (equal or "same")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:14
L40	2	"5699515".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:51
L41	479	(back adj1 off) with (less or fast\$2 or short\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 14:28

L42	0	l41 and (unforc\$4 adj3 (collision or congest\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 14:22
L43	1	l41 with (network near4 (collision or congest\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 14:22
L44	3	l41 same (network near4 (collision or congest\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 14:55
L45	31	(back adj1 off) with (less or fast\$2 or short\$3)	EPO; JPO; DERWENT	OR	OFF	2005/01/27 16:05
L46	0	l45 same (network near4 (collision or congest\$4))	EPO; JPO; DERWENT	OR	OFF	2005/01/27 14:29
L47	2	l45 and (network near4 (collision or congest\$4))	EPO; JPO; DERWENT	OR	OFF	2005/01/27 15:48
L48	3	l45 and ((detect\$4 or determin\$4) near4 (collision or congest\$4))	EPO; JPO; DERWENT	OR	OFF	2005/01/27 14:32
L49	2	"5353287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:52
L50	2	"5784375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:53
L51	2	"5852723".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 14:53
L52	2	l41 same ((determin\$4 or calculat\$4)near6 (back\$off adj time))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 14:57
L53	4	l41 and ((determin\$4 or calculat\$4)near6 (back\$off adj time))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 14:58
L54	96	(provi\$5 or enabl\$4 or priorit\$5)near5 ((peripheral near2 component)or nic )	EPO; JPO; DERWENT	OR	OFF	2005/01/27 15:50

L55	780	(provid\$4 or enabl\$4 or priorit\$5)near5 ((peripheral near2 component)or nic )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:51
L56	504	(provid\$4 or enabl\$4 or priorit\$5)near3 ((peripheral near2 component)or nic )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:51
L57	276	(provid\$4 or enabl\$4 or priorit\$5)adj3 ((peripheral near2 component)or nic )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:51
L58	1	I57 with (congested near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:57
L59	1	I57 same (congested near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:52
L60	34	I57 with ( network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:53
L61	1	I60 same ((back\$off or (back adj off))near2 (time or period or delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:54
L62	1	I60 and ((back\$off or (back adj off))near2 (time or period or delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:54

L63	5	I55 and ((back\$off or (back adj off))near2 (time or period or delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:59
L64	0	I55 with ((avoid\$4 or eliminat\$4)near5 (congest\$4 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:58
L65	0	I55 same ((avoid\$4 or eliminat\$4)near5 (congest\$4 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 15:59
L66	23	I55 and ((avoid\$4 or eliminat\$4)near5 (congest\$4 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 16:03
L67	3	I66 and ((back\$off or (back adj off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 16:00
L68	479	(back adj1 off) with (less or fast\$2 or short\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 16:05
L69	87	I68 and collision	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 16:05
L70	3	I68 and (congested adj network)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/27 16:06